

DOCKET NO.: P-10081.00

PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
RESPONSE TO RESTRICTION REQUIREMENT TRANSMITTAL**

In re Application of: Steven N. Lu et al.

For: METHODS AND APPARATUS FOR FILTERING EGM SIGNALS DETECTED BY AN IMPLANTABLE MEDICAL
DEVICE

Serial No.: 10/045,722

Filed: January 14, 2002

CERTIFICATE UNDER 37 CFR §1.8 I hereby certify that this RESPONSE TO RESTRICTION.
REQUIREMENT and Transmittal and the paper(s), as described herein are being sent to
telefacsimile No. (703) 872-8308, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-
1450, on this 27th day of June, 2005.

Molly Chlebeck
Signature
MOLLY CHLEBECK
Printed Name

MAIL STOP AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

We are transmitting herewith the attached:

X RESPONSE

- ☐ Applicant hereby petitions for _____ months' extension of time. If an additional extension of time is required, please consider this petition therefor.
- ☐ Please charge Deposit Account No. 13-2546 \$ _____ for extension of time and \$ _____ For _____ for a TOTAL OF \$ _____ .00
- X** Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Amendment Transmittal with regard to this filing. A duplicate of this transmittal is enclosed.
- X** Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.

Date

27 June 05

Paul H. McDowall
Paul H. McDowall, Reg. No. 34,873
Telephone: (763) 514-3351
Customer No. 27581

07/11/2005 HMASSEY 00000001 132546 10045722

01 FC:1252 450.00 DA